

© | NIACOM

2024 PRODUCT CATALOG TelcoLine-X



USA & CANADA

EUROPE

AFRICA

HomeGateways

inquiry@niacomtech.com

www.niacomtech.com

5G CPE WIFI5 / WIFI6

- » N554GX55 5G Indoor CPE
- » N554GX55W 5G Indoor CPE
- » N554GX62W 5G Indoor CPE



5G CPE WIFI6 AX3000

- » N564GX55 5G Indoor High-Speed CPE
- » N564GX55W 5G Indoor High-Speed CPE



5G CPE OUTDOOR

- » N0554GXUW 5G Outdoor CPE



NIACOM

NIACOM ILETISIM A.S.
inquiry@niacomtech.com
www.niacomtech.com

Where
technology
meets
architecture...



5G CPE WIFI5 / WIFI6

- » N554GX55 5G Indoor CPE
- » N554GX55W 5G Indoor CPE
- » N554GX62W 5G Indoor CPE



5G CPE WIFI6 AX3000

- » N564GX55 5G Indoor High-Speed CPE
- » N564GX55W 5G Indoor High-Speed CPE



5G CPE OUTDOOR

- » N0554GXUW 5G Outdoor CPE



NIACOM

NIACOM ILETISIM A.S.
inquiry@niacomtech.com
www.niacomtech.com

Where
technology
meets
architecture...



"Connect to the Future: Experience Blazing-Fast Speeds with Our 5G Home Gateway Featuring WiFi 6 and WiFi 5 Support!"

Introducing our advanced 5G Home Gateway, designed to redefine your home connectivity experience. Offering lightning-fast 5G speeds coupled with comprehensive support for WiFi 6 and WiFi 5, our gateway ensures seamless streaming, gaming, and browsing across multiple devices. With enhanced capacity and reduced latency, you can enjoy a reliable and robust connection that meets the demands of today's smart homes. Simplify your internet experience and unlock the full potential of your connected lifestyle with our state-of-the-art 5G Home Gateway!



5G CPE WIFI5/WIFI6


NIACOM

NIACOM ILETISIM A.S.

inquiry@niacomtech.com

www.niacomtech.com

Where
technology
meets
architecture...



HARDWARE FEATURES

N554GX55

MODEM	<u>5G Qualcomm SDX55</u>
REGION	GLOBAL
INTERFACES	4 * GE LAN 1 * WiFi6 AX1800 2.4GHz + 5.8GHz 1 * 5G NR WAN 1 * SIM Slot
ANTENNAS	4 * Built-In 5G /LTE 2 x Built-In WiFi
VOICE	Optional support
DIMENSIONS	115mm*117mm*185mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C Op. Humidity < %95 (non-condensing) Weight <500g. IP Rating: IP30



CELLULAR

5G NR NSA: N41/N78/

5G NR SA: N1/N5/N8/N28/N41/N78/

4G LTE: B1/B3/B5/B7/B8/B20/B28/B34
B38/B39/B40/B41

3G WCDMA:

B1/B5/B8

Sub-6G:2.4Gbps(DL)/1Gbps(UL)

LTE:1.0Gbps(DL)/200Mbps(UL)

HSPA+:42Mbps(DL)/5.76Mbps(UL)

MIMO: 4*4

SOFTWARE FEATURES

NETWORKING

Routing Functions

Tunneling (IPSec, GRE, L2TP...)

DHCP Server, Relay

VLAN Support

NAT, PAT

Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TRO69

SNMP v1,v2c, v3

TRO69 (Optional)

5G CPE WIFI5/WIFI6



HARDWARE FEATURES

N554GX55W

MODEM	<u>5G Qualcomm SDX55</u>
REGION	GLOBAL
INTERFACES	4 * GE LAN 1 * WiFi6 AX1800 2.4GHz + 5.8GHz 1 * 5G NR WAN 1 * SIM Slot
ANTENNAS	4 * Built-In 5G /LTE 4 x Built-In WiFi (4*4 MIMO)
VOICE	Optional support
DIMENSIONS	115mm*117mm*185mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C Op. Humidity < %95 (non-condensing) Weight <500g. IP Rating: IP30



CELLULAR

5G NR NSA: N41/N78/

5G NR SA: N1/N5/N8/N28/N41/N78/

4G LTE: B1/B3/B5/B7/B8/B20/B28/B34
B38/B39/B40/B41

3G WCDMA:

B1/B5/B8

Sub-6G:2.4Gbps(DL)/1Gbps(UL)

LTE:1.0Gbps(DL)/200Mbps(UL)

HSPA+:42Mbps(DL)/5.76Mbps(UL)

MIMO: 4*4

SOFTWARE FEATURES

NETWORKING

Routing Functions

Tunneling (IPSec, GRE, L2TP...)

DHCP Server, Relay

VLAN Support

NAT, PAT

Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TRO69

SNMP v1,v2c, v3

TRO69 (Optional)

5G CPE WIFI5/WIFI6



HARDWARE FEATURES

N554GX62W	
MODEM	5G Qualcomm SDX62
REGION	GLOBAL
INTERFACES	4 * GE LAN 1 * WiFi6 AX1800 2.4GHz + 5.8GHz 1 * 5G NR WAN 1 * SIM Slot
ANTENNAS	4 * Built-In 5G /LTE 4 x Built-In WiFi (4*4 MIMO)
VOICE	Optional support
DIMENSIONS	115mm*117mm*185mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C Op. Humidity < %95 (non-condensing) Weight <500g. IP Rating: IP30
CELLULAR	5G NR: N2/N5/N7/N8/N12/N13/N14/N20/N25 N26/N30/N38/N40/N41/N66/N71/N77 N78/N79 4G LTE-FDD: B2/B4/B5/B7/B8/B12/B13/B14/B18/B19 B20/B25/B26/B29/B30/B66/B71 4G LTE-TDD: B34/B38/B39/B40/B41/B42/B43/B48 3G WCDMA: B1/B5/B8, GNSS1 L1+L5 NSA: 2.8Gbps(DL)/600Mbps(UL) SA: 2.0Gbps(DL)/900Mbps(UL) LTE: 1Gbps(DL)/150Mbps(UL) HSPA+: 42Mbps(DL)/5.76Mbps(UL)
SOFTWARE FEATURES	
NETWORKING Routing Functions Tunneling (IPSec, GRE, L2TP...) DHCP Server, Relay VLAN Support NAT, PAT Port Forwarding	
SECURITY ACL, Input / Output Filters, Stateful Firewall, DDoS	
MANAGEMENT TR069 SNMP v1,v2c, v3 TR069 (Optional)	

5G CPE WIFI5/WIFI6

"Unleash Unprecedented Connectivity: Elevate Your Home with Our 5G Home Gateway Featuring High-Speed WiFi 6 AX3000 Support!"

Introducing our cutting-edge 5G Home Gateway, engineered to deliver exceptional internet performance at home. With high-speed WiFi 6 AX3000 support, experience lightning-fast downloads, ultra-low latency, and seamless streaming across all your devices. Designed for modern smart homes, this gateway ensures a reliable, high-capacity connection, empowering you to connect, communicate, and enjoy uninterrupted online experiences. Transform your home into a hub of connectivity and take advantage of the future of internet technology with our revolutionary 5G Home Gateway!



5G CPE WIFI6 AX3000

NIACOM

NIACOM ILETISIM A.S.

inquiry@niacomtech.com

www.niacomtech.com

Where
technology
meets
architecture...



NIACOM



HARDWARE FEATURES

N564GX55

MODEM 5G Qualcomm SDX55

REGION GLOBAL

INTERFACES 4 * GE LAN
1 * GE WAN (1.25Gi)
1 * WiFi6 AX3000
2.4GHz + 5.8GHz
1 * 5G NR WAN
1 * SIM Slot

ANTENNAS 4 * Built-In 5G /LTE
2 * Built-In WiFi

VOICE Optional support

DIMENSIONS 253mm*130mm*355mm

ENVIRONMENT Op. Temp.
-10 °C ~ +45 °C
Op. Humidity
< %95 (non-condensing)
Weight
<680g.
IP Rating: IP30



CELLULAR

5G NR NSA: N41/N78/

5G NR SA: N1/N5/N8/N28/N41/N78/

4G LTE: B1/B3/B5/B7/B8/B20/B28/B34
B38/B39/B40/B41

3G WCDMA:

B1/B5/B8

Sub-6G: 2.4Gbps(DL)/1Gbps(UL)

LTE: 1.0Gbps(DL)/200Mbps(UL)

HSPA+: 42Mbps(DL)/5.76Mbps(UL)

MIMO: 4*4

SOFTWARE FEATURES

NETWORKING

Routing Functions

Tunneling (IPSec, GRE, L2TP...)

DHCP Server, Relay

VLAN Support

NAT, PAT

Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TRO69

SNMP v1,v2c, v3

TRO69 (Optional)

5G CPE WIFI6 AX3000

HARDWARE FEATURES

N564GX55W

MODEM	5G Qualcomm SDX62
REGION	GLOBAL
INTERFACES	4 * GE LAN 1 * WiFi6 AX3000 2.4GHz + 5.8GHz 1 * 5G NR WAN 1 * SIM Slot
ANTENNAS	4 * Built-In 5G /LTE 4 x Built-In WiFi (4*4 MIMO)
VOICE	Optional support
DIMENSIONS	253mm*130mm*355mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C Op. Humidity < %95 (non-condensing) Weight <680g. IP Rating: IP30



CELLULAR

5G NR: N2/N5/N7/N8/N12/N13/N14/N20/N25
N26/N30/N38/N40/N41/N66/N71/N77
N78/N79

4G LTE-FDD:

B2/B4/B5/B7/B8/B12/B13/B14/B18/B19
B20/B25/B26/B29/B30/B66/B71

4G LTE-TDD:

B34/B38/B39/B40/B41/B42/B43/B48

3G WCDMA: B1/B5/B8, GNSS1 L1+L5

NSA:2.8Gbps(DL)/600Mbps(UL)

SA:2.0Gbps(DL)/900Mbps(UL)

LTE:1Gbps(DL)/150Mbps(UL)

HSPA+:42Mbps(DL)/5.76Mbps(UL)

SOFTWARE FEATURES

NETWORKING

Routing Functions
Tunneling (IPSec, GRE, L2TP...)
DHCP Server, Relay
VLAN Support
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TRO69
SNMP v1,v2c, v3
TRO69 (Optional)

5G CPE WIFI6 AX3000

" Beyond Boundaries: Experience Outdoor Connectivity with Our 5G Home Gateway Featuring High-Speed WiFi 5 AC1200 Support!"

Introducing our robust 5G Home Gateway designed specifically for outdoor environments, delivering reliable connectivity wherever you need it. With high-speed WiFi 5 AC1200 support, this gateway ensures stable connections for all your devices, making it perfect for streaming, gaming, and browsing in your garden, patio, or outdoor events. Built to withstand the elements, our outdoor 5G Home Gateway combines durability with high-performance technology, providing you with seamless internet access in any outdoor setting. Embrace the freedom of reliable connectivity outdoors and elevate your online experience today!



5G CPE OUTDOOR

NIACOM

NIACOM ILETISIM A.S.

inquiry@niacomtech.com

www.niacomtech.com

Where
technology
meets
architecture...

5G WiFi

4G 5G

NIACOM

5G

HARDWARE FEATURES

N564GX55W

MODEM	5G UNISOC IVY510
REGION	GLOBAL
INTERFACES	3 * GE LAN + 1 * GE WAN/LAN 1 * WiFi5 AC1200 2.4GHz + 5.8GHz 1 * 5G NR WAN 1 * SIM Slot
ANTENNAS	4 * Built-In 5G /LTE 4 x Built-In WiFi (4*4 MIMO)
VOICE	Optional support
DIMENSIONS	100mm*207mm*302mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C Op. Humidity < %95 (non-condensing) Weight <680g. IP Rating: IP30



CELLULAR

5G NR: N1/N3/N8/N28/N41/N77/N78/N79
4G LTE-FDD: B1/B2/B3/B5/B7/B8/B20/B28A/B28B, B32
4G LTE-TDD:
B34/B38/B39/B40/B41
5G NR: 1.25Gbps (UL), 2.45 Gbps(DL)
TDD/FDD LTE: Category 12 with 450Mbps(DL)
TDD/FDD LTE: Category 13 with 150Mbps(UL)

SOFTWARE FEATURES

NETWORKING

Routing Functions
Tunneling (IPSec, GRE, L2TP...)
DHCP Server, Relay
VLAN Support
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT


TRO69
SNMP v1,v2c, v3
TRO69 (Optional)

5G CPE OUTDOOR



4G INDOOR CPE WIFI5 / WIFI6

- » N441G 4G Indoor CPE
- » N461G 4G Indoor CPE
- » N444F 4G Indoor CPE
- » N442F 4G Indoor CPE



4G CPE OUTDOOR

- » N0441F 4G Outdoor CPE



TelcoLine-X

NIACOM

NIACOM ILETISIM A.S.
inquiry@niacomtech.com
www.niacomtech.com

Where
technology
meets
architecture...



"Stay Connected at Home: Enjoy Reliable Internet with Our 4G Home Gateway Featuring 2.4GHz 300Mbps WiFi Support!"

Introducing our versatile 4G Home Gateway, designed to bring fast and dependable internet connectivity to your indoor spaces. With 2.4GHz WiFi support offering speeds up to 300Mbps, this gateway ensures smooth streaming, seamless browsing, and reliable connections for all your devices. Whether you're working from home, enjoying your favorite shows, or connecting with loved ones, our 4G Home Gateway provides the stability and speed you need to enhance your online experience. Transform your home into a connected haven today!



4G CPE HomeGateways

NIACOM

NIACOM ILETISIM A.S.

inquiry@niacomtech.com

www.niacomtech.com

Where
technology
meets
architecture...



HARDWARE FEATURES

N441G

MODEM 4G CAT4 Qualcomm

REGION GLOBAL

INTERFACES 1 * GE LAN/WAN
1 * WiFi4 300Mbps
2.4GHz
1 * LTE WAN
1 * SIM Slot

ANTENNAS 2 * LTE
2 * WiFi (2*2 MIMO)

VOICE Optional support

DIMENSIONS 168mm*105mm*29mm

ENVIRONMENT Op. Temp.
-10 °C ~ +45 °C
Op. Humidity
< %95 (non-condensing)
Weight
<350g.
IP Rating: IP30

CELLULAR

4G LTE-FDD: 1/3/7/8/20/28A

4G LTE-TDD: 38/40/41

UMTS: 1/8

***Bands can be customized.

SOFTWARE FEATURES

NETWORKING


Routing Functions
Tunneling (IPSec, GRE, L2TP...)
DHCP Server, Relay
VLAN Support
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TR069
SNMP v1,v2c, v3



HARDWARE FEATURES

N461G

MODEM	<u>4G CAT4 Qualcomm</u>
REGION	GLOBAL
INTERFACES	1 * GE LAN/WAN 1 * WiFi6 AX1200 2.4GHz 1 * LTE WAN 1 * SIM Slot
ANTENNAS	2 * LTE 2 * WiFi (2*2 MIMO)
VOICE	Optional support
DIMENSIONS	203mm*125mm*28mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C Op. Humidity < %95 (non-condensing) Weight <350g. IP Rating: IP30



CELLULAR

4G LTE-FDD: 1/3/7/8/20/28A

4G LTE-TDD: 38/40/41

UMTS: 1/5/8

***Bands can be customized.

SOFTWARE FEATURES

NETWORKING

Routing Functions
Tunneling (IPSec, GRE, L2TP...)
DHCP Server, Relay
VLAN Support
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TR069
SNMP v1,v2c, v3



4G CPE HomeGateways



HARDWARE FEATURES

N444F

MODEM	4G CAT4 Qualcomm
REGION	GLOBAL
INTERFACES	5 * FE LAN/WAN 1 * WiFi4 300Mbps 2.4GHz 1 * LTE WAN 1 * SIM Slot
ANTENNAS	1 * LTE 1 * WiFi
VOICE	Optional support
DIMENSIONS	200mm*145mm*48mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C Op. Humidity < %95 (non-condensing) Weight <350g. IP Rating: IP30

CELLULAR

4G LTE-FDD: 1/3/7/8/20/28A

4G LTE-TDD: 38/40/41

UMTS: 1/5/8

***Bands can be customized.

SOFTWARE FEATURES

NETWORKING

Routing Functions
Tunneling (IPSec, GRE, L2TP...)
DHCP Server, Relay
VLAN Support
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TR069
SNMP v1,v2c, v3



4G CPE HomeGateways

NIACOM

NIACOM ILETISIM A.S.

inquiry@niacomtech.com

www.niacomtech.com

Where
technology
meets
architecture...



All Rights Reserved 2024©

HARDWARE FEATURES

N442F

MODEM 4G CAT4 Qualcomm

REGION GLOBAL

INTERFACES 2 * FE LAN/WAN
1 * WiFi4 300Mbps
2.4GHz
1 * LTE WAN
1 * SIM Slot

ANTENNAS 1 * LTE
1 * WiFi

VOICE Optional support

DIMENSIONS 105mm*105mm*60mm

ENVIRONMENT Op. Temp.
-10 °C ~ +45 °C
Op. Humidity
< %95 (non-condensing)
Weight
<350g.
IP Rating: IP30

CELLULAR

4G LTE-FDD: 1/3/7/8/20/28A

4G LTE-TDD: 38/40/41

UMTS: 1/5/8

***Bands can be customized.

SOFTWARE FEATURES

NETWORKING

Routing Functions
Tunneling (IPSec, GRE, L2TP...)
DHCP Server, Relay
VLAN Support
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TR069
SNMP v1,v2c, v3



HARDWARE FEATURES

NO441F (OUTDOOR)

MODEM 4G CAT4 Qualcomm

REGION GLOBAL

INTERFACES 1 * FE LAN/WAN
1 * WiFi4 300Mbps
2.4GHz
1 * LTE WAN
1 * SIM Slot

ANTENNAS 1 * LTE
1 * WiFi

DIMENSIONS 197mm*110mm*59mm

ENVIRONMENT Op. Temp.
-10 °C ~ +45 °C
Op. Humidity
< %95 (non-condensing)
Weight
<300g.
IP Rating: IP65

CELLULAR

4G LTE-FDD: 1/3/7/8/20/28A

4G LTE-TDD: 38/40/41

UMTS: 1/5/8

***Bands can be customized.

SOFTWARE FEATURES

NETWORKING

Routing Functions
Tunneling (IPSec, GRE, L2TP...)
DHCP Server, Relay
VLAN Support
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TR069
SNMP v1,v2c, v3



NIACOM

NIACOM ILETISIM A.S.

inquiry@niacomtech.com

www.niacomtech.com

Where
technology
meets
architecture...




All Rights Reserved 2024©

4G CPE HomeGateways

WIRELESS ROUTERS

- » NR054G Wireless Gigabit Router AC1200
- » NR064G Wireless Gigabit Router AX3000



TelcoLine-X

NIACOM

NIACOM ILETISIM A.S.
inquiry@niacomtech.com
www.niacomtech.com

Where
technology
meets
architecture...



" Future of Connectivity: Unlock Blazing Speeds with Our Gigabit-Class Home Gateway Featuring WiFi 6!"

Introducing our cutting-edge Gigabit-Class Home Gateway, designed to revolutionize your indoor internet experience. With WiFi 6 technology, enjoy lightning-fast speeds, increased capacity, and enhanced performance, making it perfect for today's smart homes filled with multiple devices. Say goodbye to lag and buffering, and embrace seamless streaming, gaming, and browsing throughout your home. Our innovative gateway empowers you to connect effortlessly and efficiently, ensuring you stay ahead in a digital world. Elevate your connectivity and transform your home into a high-speed haven today!

WIFI GIGABIT ROUTERS



NIACOM

NIACOM ILETISIM A.S.

inquiry@niacomtech.com

www.niacomtech.com

Where
technology
meets
architecture...



HARDWARE FEATURES

NR054G - No Cellular

INTERFACES	3 * GE LAN
	1 * GE WAN
	1 * WiFi5 ac1200 2.4GHz + 5.8GHz
ANTENNAS	4 * WiFi (4*4 MIMO / MUMIMO)
DIMENSIONS	170mm*105mm*30mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C
	Op. Humidity < %95 (non-condensing)
	Weight <350g.
	IP Rating: IP30

SOFTWARE FEATURES

NETWORKING

Routing Functions
Tunneling (IPSec, GRE, L2TP...)
DHCP Server, Relay
VLAN Support
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TR069
SNMP v1,v2c, v3



WIFI GIGABIT ROUTERS



HARDWARE FEATURES

NR064G - No Cellular

INTERFACES	4 * GE LAN
	1 * GE WAN
	1 * WiFi6 ax3000 Dual Radio 2.4GHz + 5.8GHz
ANTENNAS	6 * WiFi (4*4 MIMO / MUMIMO)
DIMENSIONS	255mm*130mm*36mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C
	Op. Humidity < %95 (non-condensing)
	Weight <350g.
	IP Rating: IP30

SOFTWARE FEATURES

NETWORKING

Routing Functions
Tunneling (IPSec, GRE, L2TP...)
DHCP Server, Relay
VLAN Support
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TR069
SNMP v1,v2c, v3



WIFI GIGABIT ROUTERS



Cellular TV Box

» NT442FV 4G TV Box



TelcoLine-X

NIACOM

NIACOM ILETISIM A.S.

inquiry@niacomtech.com

www.niacomtech.com

Where
technology
meets
architecture...



"Stream, Connect, and Enjoy: Experience Ultimate Entertainment with Our 4G Cellular Support Android TV Box Home Gateway Featuring WiFi 5!"

Introducing our innovative Android TV Box, designed to bring your favorite shows, movies, and games to life with seamless connectivity. With 4G cellular support, you can enjoy high-speed internet access wherever you are, while WiFi 5 technology ensures smooth streaming and browsing throughout your home. This versatile device combines the functionality of a home gateway with a rich Android TV experience, giving you access to countless apps and channels at your fingertips. Transform your viewing experience and enjoy limitless entertainment with our state-of-the-art Android TV Box today!



4G ANDROID TV Box

NIACOM

NIACOM ILETISIM A.S.

inquiry@niacomtech.com

www.niacomtech.com

Where
technology
meets
architecture...



HARDWARE FEATURES

NT442FV Android 4G TV Box

MODEM	4G CAT4 Qualcomm
REGION	GLOBAL
INTERFACES	2 * FE LAN/WAN 1 * WiFi4 300Mbps 2.4GHz 1 * LTE WAN 1 * SIM Slot
ANTENNAS	2 * LTE 2 * WiFi
DIMENSIONS	105mm*105mm*60mm
ENVIRONMENT	Op. Temp. -10 °C ~ +45 °C Op. Humidity < %95 (non-condensing) Weight <350g. IP Rating: IP65

CELLULAR

4G LTE-FDD: 1/3/7/8/20/28A

4G LTE-TDD: 38/40/41

UMTS: 1/5/8

***Bands can be customized.

SOFTWARE FEATURES

NETWORKING

Routing Functions
DHCP Server, Relay
NAT, PAT
Port Forwarding

SECURITY

ACL, Input / Output Filters, Stateful Firewall, DDoS

MANAGEMENT

TR069
SNMP v1,v2c, v3



4G ANDROID TV Box



© | NIACOM

2024 PRODUCT CATALOG TelcoLine-X



HomeGateways

www.niacomtech.com

inquiry@niacomtech.com

USA & CANADA

EUROPE

AFRICA